

REUSABLE TRANSPORT PACKAGING

HARVEST TRANSPORT AND STORAGE SOLUTIONS

GROWING YOUR BOTTOM LINE WITH REUSABLE CRATES, TOTES AND BINS

Few understand the importance of quality and produce protection like we do. Reusable Transport Packaging offers durable and efficient reusable plastic containers that protect your products from the field to the produce aisle. These reusable plastic containers will reduce your material costs, allowing for a rapid return on investment and ongoing savings. With optimized ventilation and smooth, contoured interiors, these plastic containers facilitate faster chilling while also preventing abrasions. Offering a huge advantage over wood, these plastic containers won't absorb moisture, harmful bacteria or pathogens.

We offer a full range of agricultural containers that stack securely and nest efficiently inside one another to minimize storage requirements. These containers have been proven to withstand the rigors of picking, transport, storage, and delivery, whether you are moving produce across the farm or across the county. With a strong and lightweight construction, you'll get more produce per shipment and a better utilization of your existing storage space.



FEATURES AND BENEFITS

PRIVATELY OWNED AND OPERATED

Over 40 years of experience in all forms of reusable and returnable packaging

REDUCED DAMAGE TO PRODUCE

Sturdy, durable harvest containers offer maximum protection, ensuring preservation of produce during picking and transport.

SUSTAINABILITY

Harvest containers are fully recyclable and promote supply chain sustainability goals.

ASSET MANAGEMENT

Improved utilization of container management from harvesting to processing.

FINANCIAL ASSISTANCE

Offering a variety of payment options, including rental agreements.

HARVEST TOTES

- Lightweight, durable container that will last for years
- Efficient vents for optimal cooling
- Won't absorb moisture
- Smooth contoured interior protects fruit
- Ergonomic handles
- Stacks easily and quickly
- UV stabilizer for extended service life
- Fully automatable
- Made from FDA approved HDPE
- Works with wood bins or on pallets
- Compatible with standard harnesses
- Available in multiple FDA approved non-heavy metal colors
- Available in metal detectable colors for use with metal part detection systems
- Hot stamp area on long side wall for branding or identification
- 180° stack & nest designs



Model	Internal Dim. L" x W" x H"	External Dim. L" x W" x H"	Weight (lb.)	Material	Capacity (cu. in./bushels)	Stack/Nest Increment (in.)	Qty. Per 53ft Trailer
AGV14-201606	18.50 x 14.50 x 5.88	20.00 x 16.00 x 6.00	2.14	HDPE	1,577 / 0.73	2.1	8,640
AGV14-201608	18.70 x 14.70 x 7.3	20.00 x 16.00 x 7.70	2.7	HDPE	2,007 / 0.93	2.6	6,480
AGV14-201208	19.00 x 11.00 x 7.88	20.00 x 12.00 x 8.25	3.0	HDPE	1,650 / 0.75	8.0	3,120
AGV14-201612	17.81 x 14.07 x 11.06	19.29 x 15.55 x 11.42	4.3	HDPE	2,771 / 1.29	10.77	1,620
AGV34-241604	22.08 x 14.21 x 3.48	23.62 x 15.74 x 3.93	1.94	HDPE	1,091 / 0.51	-	7,650
SNV33-241605	22.25 x 14.75 x 3.5	23.75 x 15.75 x 4.5	2.2	PP	1,149 / 0.53	-	8,550
AGV55-241607	22.75 x 14.75 x 7.0	23.75 x 15.75 x 7.25	3.0	HDPE	2,349 / 1.09	-	5,460

LIDDED FIELD CRATES

- Durable field crate
- Smooth interior protects produce
- Eliminates wire-bound wood injuries
- Detachable lid neatly nests for efficient storage
- Ergonomic handles
- Lid hinge design maximizes field pack-out
- Stacks easily and quickly
- Excellent ventilation for cooling and processing



Model	Internal Dim. L" x W" x H"	External Dim. L" x W" x H"	Weight (lb.)	Material	Capacity (cu. in./bushels)	Stack Increment (in.)	Qty. Per 53ft Trailer
AGV14-241613-L	21.00 x 12.25 x 12.50	24.13 x 16.00 x 13.00	6.9	HDPE	3,500 / 1.6	2.73	4,524

Model	High Fretworked L" x W" x H"	Weight (lb.)	Material	Max Capacity (n./lb.)	Volume (LTS)
DCNA14-241611-V	23.60 x 15.75 x 11.00	6.80	HDPE	59.5	47
DCNA14-241609-V	23.60 x 15.75 x 8.6	5.95	HDPE	55.1	34

REUSABLE PLASTIC CONTAINERS

- Standard 60cm x 40cm Euro footprint
- Assembly secures four walls into place
- Collapsible walls reduce storage space required for empties
- Ergonomically designed hand holds for maximum comfort
- Sculpted interior maximizes container volume
- Quick release latches increase productivity

- Ventilated side walls and bottom aids cooling and extends shelf life
- Rigid vertical side walls increase functional storage space
- Each footprint has multiple heights to suit your application, please inquire about other heights
- Bottom design promotes smooth transitions with conventional conveyor systems



Model	Internal Dim. L" x W" x H"	External Dim. L" x W" x H"	Weight (lb.)	Material	Capacity (liters/ bushels)	Stack Increment (in.)	Qty. Per 53' Trailer
DCCV14-241604	22.6 x 14.8 x 3.4	23.6 x 15.8 x 3.8	2.90	PP	18.6 / 0.53	1.4	9,900
DCCV14-241307	23.2 x 12.2 x 6.4	24.0 x 13.3 x 7.1	3.37	PP	29.7 / 0.84	1.6	9,720
DCCV14-241313	23.2 x 12.2 x 11.7	24.0 x 13.3 x 12.6	5.23	PP	54.3 / 1.54	2.8	5,760
DCCV14-241605	22.6 x 14.8 x 4.3	23.6 x 15.8 x 4.7	3.3	PP	24.1 / 0.68	1.4	9,900
DCCV14-241605-1	22.4 x 14.5 x 4.3	23.6 x 15.8 x 4.7	3.2	PP	22.9 / 0.65	1.4	9,900
DCCV14-241606	22.6 x 14.8 x 5.1	23.6 x 15.8 x 5.5	3.47	PP	28.5 / 0.81	1.4	9,900
DCCV14-241607	22.6 x 14.8 x 6.5	23.6 x 15.8 x 6.9	3.73	PP	35.6 / 1.01	1.4	9,900
DCCV14-241607-S	22.4 x 14.5 x 6.3	23.6 x 15.8 x 6.7	3.7	PP	33.5 / 0.95	1.4	9,900
DCCV14-241608	22.6 x 14.8 x 7.4	23.6 x 15.8 x 7.7	4.0	PP	40.6 / 1.15	1.4	9,900
DCCV14-241608-S	22.4 x 14.5 x 7.5	23.6 x 15.8 x 7.9	4.0	PP	39.9 / 1.13	1.4	9,900
DCCV14-241610-1	22.6 x 14.6 x 9.1	23.6 x 15.8 x 9.5	4.81	PP	49.2 / 1.4	2.1	6,600
DCCV14-241610-2	22.4 x 14.5 x 9.2	23.6 x 15.8 x 9.6	4.45	PP	49 / 1.39	2.1	6,600
DCCV14-241610	22.6 x 14.6 x 9.9	23.6 x 15.8 x 10.2	4.87	PP	53.5 / 1.52	2.1	6,600
DCCV34-241610	22.7 x 14.6 x 9.9	23.6 x 15.5 x 10.2	4.89	PP	53.7 / 1.53	-	7,350
DCCV14-241611	22.4 x 14.6 x 10.9	23.6 x 15.8 x 11.6	5.2	PP	58.2 / 1.65	2.13	6,600
DCCV14-241611-S	22.4 x 14.5 x 10.8	23.6 x 15.8 x 11.2	5.1	PP	57.5 / 1.63	2.13	6,600
DCCV14-241610-2	22.4 x 14.5 x 10.8	23.6 x 15.8 x 11.2	5.35	PP	57.5 / 1.63	2.1	6,600
DCCV14-242009	22.8 x 18.6 x 8.2	23.9 x 19.7 x 8.9	5.51	PP	57 / 1.62	1.5	7,440

AVAILABLE OPTIONS

- Colors: Many items in this catalogue are available in standard black or other FDA approved non-heavy metal colors. For compatibility with metal part detection systems, metal detectable colors are also available.
- ID Marking: Multiple identification marking possibilities with hot stamp locations on the short wall and base

- Molded-In Logos: Customer specific decorations available on the short wall
- Tracking: Optional barcode and RFID tag locations on the short wall to integrate with asset tracking systems

HARVEST BINS

- Easily sanitized via steam cleaning, and also safe for use with chemicals
- Solid, simplified designs deliver maximum strength and durability
- Resilient UV resistant polymer made with a structural foam injection molding process
- Stack containers up to 10 units high for efficient storage and warehousing
- Multiple options with solid or vented walls for thermal regulation
- USDA/HACCP compliant materials are safe for agricultural produce, food contact, and transport
- Options for long sided runners, short sided runners, and full runners
- Perfect in the field as harvest bulk bins and for use in other food processing operations



Model	Internal Dim. L" x W" x H"	External Dim. L" x W" x H"	Material	Wall Style	Weight (lb.)	Volume (cu. ft. / bushels)	Load Capacity (lb.)	Qty. Per 53' Trailer
FW03-404831-V	45.0 x 36.8 x 25.8	48.0 x 40.0 x 31.0	HDPE	Vented	92.0	25.4 / 19.9	1,500	150
FW03-404831-S	45.0 x 36.8 x 25.8	48.0 x 40.0 x 31.0	HDPE	Solid	92.0	24.7 / 19.9	1,500	150
FW30-454816-V-HB	45.3 x 42.3 x 12.0	48.0 x 45.0 x 16.5	PP	Vented	58.5	12.4 / 10.0	500	-
FW30-444829-V-NG	44.8 x 40.0 x 23.9	48.3 x 44.8 x 29.9	PP	Vented	75	27.8 / 22.3	1,300	140
FW30-444829-S-NG	44.8 x 40.0 x 23.9	48.3 x 44.8 x 29.9	PP	Solid	76	27.8 / 22.3	1,300	140
FW30-454835-V	45.3 x 41.6 x 29.4	48.3 x 44.8 x 34.6	PP	Vented	95-101*	32.5 / 26.1	1,300	-
FW30-444834-S-HB	45.3 x 41.6 x 29.4	48.3x 44.8 x 34.6	PP	Solid	99-105*	32.5 / 26.1	1,300	-
FW30-474716-V-HB	45.3 x 44.8 x 12.0	47.8 x 47.0 x 16.5	PP	Vented	58.5	13.1 / 10.6	500	-
FW30-474721-V-HB	43.8 x 43.8 x 15.6	47.1 x 47.1 x 21.5	PP	Vented	78.5	16.0 / 12.9	1,200	-
FW30-474721-S-HB	43.8 x 43.8 x 15.6	47.1 x 47.1 x 21.5	PP	Solid	92.5	16.0 / 12.9	1,200	-
FW30-474727-V-HB	44.0 x 44.0 x 22.3	47.1 x 47.1 x 28.1	PP	Vented	89.5	24.9 / 20.0	1,200	-
FW03-4848-28-V	44.7 x 44.7 x 23.9	48.0 x 48.0 x 28.5	HDPE	Vented	93.0	28.7 / 23.1	1,500	94
FW03-4848-28-S	44.7 x 44.7 x 23.9	48.0 x 48.0 x 28.5	HDPE	Solid	93.0	28.7 / 23.1	1,500	94
FW30-484829-V-NG	43.6 x 43.6 x 23.4	47.8 x 47.8 x 28.5	PP	Vented	76.0	25.8 / 20.7	1,300	-
FW30-484828-V-HB	44.3 x 44.3 x 23.9	48.0 x 48.0 x 28.0	PP	Vented	66.0	28.7 / 23.1	1,300	-
FW30-474728-HB	44.5 x 43.8 x 24.0	47.8 x 47.8 x 28.5	PP	Solid	92.0	27.1 / 21.8	1,300	-
FW30-484852-V-HB	44.9 x 44.9 x 46.5	48.1 x 48.1 x 52.5	PP	Vented	180.0	54.3 / 43.6	3,000	-
FW30-484852-S-HB	44.9 x 44.9 x 46.5	48.1 x 48.1 x 52.5	PP	Solid	184.5	54.3 / 43.6	3,000	-
FW30-454830-V-HB	46.0 x 42.9 x 25.8	48.9 x 45.8 x 30.5	PP	Vented	89.5	29.5 / 23.7	1,100	-
FW30-454830-S-HB	46.0 x 42.9 x 25.8	48.9 x 45.8 x 30.5	PP	Solid	93.0	29.5 / 23.7	1,300	-
FW30-484830-V-HB	46.0 x 46.0 x 25.6	49.0 x 49.0 x 30.6	PP	Vented	93.5	31.3 / 25.2	1,300	-
FW30-494930-HB	46.0 x 46.0 x 25.6	49.3 x 49.3 x 30.6	PP	Solid	96.5	31.3 / 25.2	1,300	-

**Tare weight is dependent upon base/runner configuration chosen*